



Hydraulic Sheet Metal Press Brake BP-9078CNC

Product Images



Short Description

Additional Information

Stock Number BA9-1000837 Accessories Included Accessories Approach Speed 3.14" / sec. Back Gauge Capacity (In.) 23.62" Bending Speed .236" / sec Capacity (In.) 90 tons Distance Between Housings 61 Distance Prom Table To Ram 11.81" Distance Per Stroke (In.) 5.9 Input Power 220V / 3-phase Minimum Return Speed (In./Sec) 2.36" / sec. Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 7.8" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And Thickness		
Approach Speed 3.14" / sec. Back Gauge Capacity (In.) 23.62" Bending Speed .236" / sec Capacity (In.) 90 tons Distance Between Housings 61 Distance From Table To Ram 11.81" Distance Per Stroke (In.) 5.9 Input Power 220V / 3-phase Minimum Return Speed (In./Sec) 2.36" / sec. Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78.75" / 196"	Stock Number	BA9-1000837
Back Gauge Capacity (In.) Bending Speed .236" / sec Capacity (In.) Distance Between Housings 61 Distance From Table To Ram 11.81" Distance Per Stroke (In.) Input Power 220V / 3-phase Minimum Return Speed (In./Sec) 2.36" / sec. Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight Pool tons 11.81" 10.34" 10.34" 10.35" 10.35" 10.36" 10.	Accessories	Included Accessories
Bending Speed .236" / sec Capacity (In.) 90 tons Distance Between Housings 61 Distance From Table To Ram 11.81" Distance Per Stroke (In.) 5.9 Input Power 220V / 3-phase Minimum Return Speed (In./Sec) 2.36" / sec. Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78 75" / 196"	Approach Speed	3.14" / sec.
Capacity (In.) Distance Between Housings 61 Distance From Table To Ram 11.81" Distance Per Stroke (In.) Input Power 220V / 3-phase Minimum Return Speed (In./Sec) Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 7.87" Weight (Lbs.) 9000 Gross Weight Bending Capacity Max Length And 78.75" / 196"	Back Gauge Capacity (In.)	23.62"
Distance Between Housings Distance From Table To Ram 11.81" Distance Per Stroke (In.) Input Power 220V / 3-phase Minimum Return Speed (In./Sec) Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78.75" / 106"	Bending Speed	.236" / sec
Distance From Table To Ram Distance Per Stroke (In.) Input Power 220V / 3-phase Minimum Return Speed (In./Sec) Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight Bending Capacity Max Length And 78.75" / 196"	Capacity (In.)	90 tons
Distance Per Stroke (In.) Input Power 220V / 3-phase Minimum Return Speed (In./Sec) 2.36" / sec. Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78.75" / 196"	Distance Between Housings	61
Input Power 220V / 3-phase Minimum Return Speed (In./Sec) 2.36" / sec. Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78.75" / 196"	Distance From Table To Ram	11.81"
Minimum Return Speed (In./Sec) 2.36" / sec. Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78.75" / 196"	Distance Per Stroke (In.)	5.9
Model Number BP-9078CNC Oil Reservoir Capacity (cc) 45 gal Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (ln.) 103x76x99 Table Length (ln.) 78" Throat Depth (ln.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78 75" / 196"	Input Power	220V / 3-phase
Oil Reservoir Capacity (cc) Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (ln.) Table Length (ln.) Throat Depth (ln.) Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78 75" / 196"	Minimum Return Speed (In./Sec)	2.36" / sec.
Prop 65 Cancer and Reproductive Harm Shipping Dimensions (L x W x H) (In.) 103x76x99 Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78 75" / 196"	Model Number	BP-9078CNC
Shipping Dimensions (L x W x H) (In.) Table Length (In.) 78" Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78.75" / 196"	Oil Reservoir Capacity (cc)	45 gal
Table Length (In.) Throat Depth (In.) Weight (Lbs.) Gross Weight 9000 Bending Capacity Max Length And 78 75" / 196"	Prop 65	Cancer and Reproductive Harm
Throat Depth (In.) 7.87" Weight (Lbs.) 9000 Gross Weight 9000.0 Bending Capacity Max Length And 78.75" / 196"	Shipping Dimensions (L x W x H) (In.)	103x76x99
Weight (Lbs.) Gross Weight 9000 Bending Capacity Max Length And 78.75" / 196"	Table Length (In.)	78"
Gross Weight 9000.0 Bending Capacity Max Length And 78.75" / 196"	Throat Depth (In.)	7.87"
Bending Capacity Max Length And	Weight (Lbs.)	9000
	Gross Weight	9000.0
		78.75" / .196"

