



TS-1040P-50-V2 - Riving Knife Table Saw

Product Images



Additional Information

Stock Number	BA9-1229615
Arbor Diameter (In.)	5/8
Arbor Speed (RPM)	4300
Blade Diameter (In.)	10
Dust Collection Minimum CFM Required (CFM)	500
Dust Port Outside Diameter (In.)	4
Gross Weight (Lbs)	670
Maximum Depth of Cut at 45 Degrees (In.)	2-1/8
Maximum Depth of Cut (In.)	3-1/8
Maximum Diameter of Dado (In.)	8
Maximum Rip Left of Blade (In.)	12
Maximum Rip Right of Blade (In.)	50
Maximum Width of Dado (In.)	13/16
Miter Gauge Type	T-Slots
Model Number	TS-1040P-50-V2
Motor Amps	16
Motor Power (HP)	3
Motor Voltage (V.)	220
Net Weight (Lbs.)	590
Prewired Voltage (V.)	220
Prop 65	Cancer and Reproductive Harm
Recommended Circuit Size (Amps.)	30
Style (Type)	Cabinet
Table Height from Floor (In.)	33-1/4

Table Size (L x W) (In.)	20 x 27
Table T-Slot (In.)	3/4
Table Type	Cast Iron

